PRODUCT DETAILS


Offered in High Gloss or Perfect Matt finishes, Lummia lacquered panels meet the needs of professionals and consumers more than ever. Their excellent workability, remarkable resistance to scratches and fingerprints, and the wide range of available colours make them suitable for a myriad of applications.

HOW IT'S MADE




Manufactured in North America

The manufacturing process of Lummia lacquered panels begins with the application of a liquid functional layer onto a decorative TFL panel, followed by adding intermediate layers to protect the surface and enhance the depth effect of the finishes. Layers of lacquer are then applied to create the High Gloss or Perfect Matt finishes. The application of these lacquers involves specific techniques such as calendering for achieving the High Gloss finish and the use of an excimer lamp to create the Perfect Matt finish.







TFL: Decorative panels, HPL: High-pressure Laminates, PM: Perfect Matt, HG: High Gloss, N: New

Eucalyptus

HPL **T773(PM)**

TFL PM773

COMPLEMENTARY PRODUCTS

TFL **PM774**

HPL **T774(PM)**



Black

TFL PM203

HPL **T203(PM)**

5-Piece Doors*



Door Mouldings*



Calm Sea

TFL **PM772**

HPL **T772(PM)**

Accessory Mouldings *



Kiss Curl

TFL **PM592**

HPL **T592(PM)**

Edge Banding



High Pressure Laminates

WOODGRAINS



TFL **HG833**



TFL **HG115** HPL **T115(HG)**



TFL **HG100** HPL **T100(HG)**



TFL **HG775** HPL **T775(HG)**



TFL **HG776** HPL **T776(HG)**



TFL HG834




TFL **HG202** HPL **T202(HG)**




TFL **HG763** HPL **T763(HG)**




TFL **HG771** HPL **T771(HG)**



TFL **HG765** HPL **T765(HG)**



TFL **HG2004** HPL **T2004(HG)**



TFL **HG203** HPL **T203(HG)**



TFL **HG582** HPL **T582(HG)**

All standard Tafisa Woodgrains colours are now available in LUMMIA High Gloss and Perfect Matt

Contact your Tafisa representative for details on this program.

finishes under certain conditions.

PRODUCT FEATURES Sizes: 5' X 9' (1549mm x 2769 mm)



Thicknesses: ¼" (6.35 mm), 5/4", 3/4", 1" & 11/4"



Outstanding anti-fingerprinting (Perfect Matt)



Smooth, velvety touch



Exceptional machinability



Highly scratch resistant



Remarkable colour depth



Heat resistant



Easy maintenance



UV light resistant



Dimensional stability



Increasing adhesion with time



Superior coating technology 1 or 2 side(s) High Gloss or Perfect Matt Coating



Manufactured in North America

LUMMIA PERFECT MAT MOULDINGS

NOW AVAILABLE

DOOR MOULDINGS



Delta





Zeta

Kappa







ACCESSORY MOULDINGS





Light Valance

Contemporary Ogee





Crown Moulding

Batten

For additional details on the Lummia Moulding Program, contact your Tafisa representative.

